


A BRIEF INTRODUCTION TO LAMINATED OPULENCE






## LAMINATES


A stylish alternative to the profiles on regular windows, laminates are the ideal fix for your windows if you want them to shine. They have properties which make them endure for a long period of time in any natural environment. It comes in all colours, textures, and sizes - customisable for your vision. A laminate is for a lifetime; with a bit of maintenance, they will stay with you forever.






Renowned worldwide for their technical excellence, they are an organisation that has consistently produced high-quality products from their factories. Made with faultless raw materials, their final laminates are a work of art and come in a spectrum of colours. ISO certified and sustainable, their motto pretty much sums them up: "rely on it".







## ANTHRECITE GREY


One of the greyest on the palette, anthracite grey works as a metallic finish that gives the parent object a rough look. Its uniform greyness makes it stern and an ideal finish for a modern or minimalist structure.


Anthrazitgrau 7016\_Anthracite Grey 7016\_02.12.71.000003 - 116701











**CERTIFICATES** 



## CERTIFICATE OF WARRANTY

(20 years Product Performance Warranty \*)

Captiv Fenestration in India

RENOLIT EXOFOL FX SOLID
RENOLIT EXOFOL FX PRINTED

RENOLIT SE warrants that the above mentioned films for the lamination of substrates for interior and exterior use in vertical assembly of components are manufactured according to the requirements of the worldwide leading and accepted standard RAL-GZ 716 (plastic window profiles, quality assurance, RAL-GZ 716), in the edition of May 2013. This includes all the important specified processing properties, for example:

Colour fastness and the absence of stains, blisters, streaks, cracks as well as peeling. No delamination or other substantial degradation of the visual appearance, caused by exposure to natural weathering and sunlight.

Chemical resistance to all organic solvent-free and non-abrasive household cleansing agents e.g. water, aliphatic benzene and light alcohol/water solutions.

Excellent mechanical properties (abrasion resistance, scratch resistance)

The requirements of the Product Performance Warranty are fulfilled if the discolouration will be maximal grey scale 2 (ISO 105 - A02) within 20 years \* of service. This value can be warranted as long as the film is processed according to the requirements of the RAL-GZ 716 and the discolouration occurs due to natural weathering.

\* only for selected colours/designs up to 20 years. Details are available on request.

Status: January 2018

Michael Kundel

ppa. Stefan Friedrich Business Unit Manager RENOLIT EXTERIOR



RENOLIT SE | Horchheimer Str. 50 | 67547 Worms | Germany | www.renolit.com



Captiv Fenestration in India

RENOLIT EXOFOL FX SOLID
RENOLIT EXOFOL FX PRINTED

RENOLIT colour / pattern no.:	RENOLIT name
02.12.17.000001	Pyrite
02.12.51.000004	Dark Blue 5030
02.12.71.000003	Anthracite Grey 7016
02.12.71.000018	Moondance C-31N
02.12.71.000019	Trompet C-32 N
02.12.76.000013	Silver D
02.12.76.000014	Silver V 9705
02.12.76.000015	Asphalt 7342
02.12.81.000011	Choco Brown 8210
02.12.81.000016	Brown 8972
02.12.81.000041	Shadow Black
02.12.81.000061	Ceylon C-34 N
02.12.81.000062	Flemish Gold C-33 N
02.12.81.000065	Ash C-35 N





Captiv Fenestration in India

RENOLIT EXOFOL FX SOLID
RENOLIT EXOFOL FX PRINTED

RENOLIT colour / pattern no.:	RENOLIT name
9.1293 714	Bronze Platinum 1
9.1298 702	Aluminium Brush Effect
9.1298 703	Silver Brush Effect
9.2052 789	Dark Oak FL-F1
9.2097 713	Mahogany
9.2178 701	Golden Oak
9.2178 707	Walnut V
9.3149 708	Rustic Oak 1
9.3162 702	Macoré
9.3202 701	Black Cherry



"May your walls know joy; May every room hold laughter and every window open to great possibility"

- Mary Anne Radmacher - Hershey

## PROMINANCE

UPVC WINDOW SYSTEMS

Channel partner























